



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

ANNBOLI PACIFIC LTD.

Technical Report: (5208)325-0047
Date Received: November 20, 2008

November 28, 2008
Page 1 of 6

Name and address on file

Sample Description:	CHES 4	Sample Size:	3
Vendor:	N/A	Style No(s):	19951
Manufacturer:	CHERRYFIELD FACTORY & CITILITE FACTORY, DONGGUAN, CHINA	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	AGES 8 AND UP	Ref #:	N/A
Appropriate Age Grade:	NOT REQUESTED	Country of Origin:	CHINA
Client Specified Age Grade:	AGE 8 & UP	Assortment No.:	N/A
Tested Age Grade:	OVER 8 YEARS OF AGE		
UPC Code:	025766199515		
Test Starting Date:	NOVEMBER 20, 2008		
Test Finished Date:	NOVEMBER 28, 2008		

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid" (FHSA regulations).
- The labeling requirements of ASTM F963-07 E1, "Standard consumer safety specification for toy safety".
- The mechanical hazards requirements of ASTM F963-07 E1, "Standard consumer safety specification for toy safety".



ANNBOLI PACIFIC LTD.
 Technical Report: **(5208)325-0047**
 November 28, 2008
 Page 2 of 6

EXECUTIVE SUMMARY:

- Note:** The sample(s) was not evaluated to the Normal Use testing requirements specified in ASTM F963-07e1, Section 8.5. It is the responsibility of the manufacturer, vendor or distributor to conduct tests that will simulate normal use conditions. These tests shall ensure that hazards are not generated through normal wear and deterioration of the sample(s). These tests shall also simulate the normal play mode of the toy and to simulate the expected mode of use of the particular toy. The tests shall be conducted in an expected use environment. These normal use tests shall simulate the intended use of the toy based on its estimated lifetime.
- Note:** No accessible surface coating was present on the received sample(s). Consequently, the heavy metals content analysis of surface coatings according to 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint", and ASTM F963-07, "Standard consumer safety specification on toy safety", Section 4.3.5, was not conducted.
- Note:** At the request of the client, the sample(s) was evaluated for use by children 8 & over.

BUREAU VERITAS HONG KONG LIMITED

Choy Hon Kwong, Adams
 Senior Manager
 Chemical Department

^C/KL/ke

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff
 Director
 Toys and Juvenile Products Department

This report shall not be reproduced except in full, without the written approval of our laboratory.

APPROVED: [Signature]
 AUTHORITY: [Signature]
 DATE: [Signature]



ANNBOLI PACIFIC LTD.
Technical Report: **(5208)325-0047**
November 28, 2008
Page 3 of 6

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-07, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

[Faint, illegible text]



**BUREAU
VERITAS**

ANNBOLI PACIFIC LTD.
Technical Report: **(5208)325-0047**
November 28, 2008
Page 4 of 6

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-07 E1)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials – Visual Inspection	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	N/A
4.8	Projections	N/A
4.9	Accessible Points	N/A
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Packaging Film	M
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes Clearances, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude section 4.25.10 Battery-powered ride-on toys)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Toy Chest	N/A
4.28	Stuffed and Beanbag-Type Toys	N/A
4.31	Toy Gun Marking	N/A
4.33	Certain Toys with Spherical Ends	N/A
4.35	Small Balls	N/A
4.36	Pompoms	N/A
4.37	Hemispheric-Shaped Objects	N/A
4.38	Yo Yo Elastic Tether Toys	N/A
4.39	Magnets	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



ANNBOLI PACIFIC LTD.
 Technical Report: **(5208)325-0047**
 November 28, 2008
 Page 5 of 6

RESULTS:**LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-07 E1)**

Section	Requirement	Result
Safety Labeling Requirements		
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpens Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	N/A
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Toy Caps (16 CFR 1500.86 for Required Labeling)	N/A
5.13	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.15	Battery-Operated Toys	N/A
5.15.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.16	Promotional Materials	M
5.17 & 5.3	Magnets	N/A
Instructional Literature		
6.1	Definition and Description	M
6.2	Toy Chests	N/A
6.3	Crib and Playpen Toys	N/A
6.4	Mobiles	N/A
6.5 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.6.1-2	Battery-Operated Toys	N/A
6.6.3	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
Producer's Markings		
7.1	Producer's Name and Address	M
7.2	Toy Chests	N/A
7.3	Battery-Powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Most rapid burn rate less than 0.1 of an inch per second.



ANNBOLI PACIFIC LTD.
 Technical Report: **(5208)325-0047**
 November 28, 2008
 Page 6 of 6

RESULTS:



END OF REPORT

[Faint, illegible text]