



TEST REPORT

NUMBER: SZHH00364486

APPLICANT: WHAM -O, INC.

DATE: Mar 13, 2009

SAMPLE DESCRIPTION:

SIX (6) SETS OF SUBMITTED SAMPLE SAID TO BE :

ITEM NAME : **FREESTYLE FRISBEE DISC PDQ 6PK WITH 3 COLOR.**

ITEM NO. : **81101.**

LABELLED AGE GROUP : NOT SPECIFIED.

PACKAGING PROVIDED : YES.

MANUFACTURER : HUA SHENG.

COUNTRY OF ORIGIN : CHINA.



TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

TO BE CONTINUED

AUTHORIZED BY:
 FOR INTERTEK TESTING SERVICES
 SHENZHEN LTD.

BEN N.L. LIN
 GENERAL MANAGER



TEST REPORT

NUMBER: SZHH00364486

CONCLUSION:

<u>TESTED SAMPLES</u>	<u>STANDARD - U.S. ASTM F963-08</u>	<u>RESULT</u>
SUBMITTED SAMPLE SETS	PHYSICAL AND MECHANICAL TESTS	PASS

FLAMMABILITY TEST OF MATERIALS OTHER THAN TEXTILE MATERIALS	PASS
--	------

TESTED COMPONENTS OF SUBMITTED SAMPLE SETS	TOXIC ELEMENTS TEST	PASS
---	---------------------	------

<u>TESTED SAMPLES</u>	<u>STANDARD - U.S. CFR TITLE 16</u>	<u>RESULT</u>
SUBMITTED SAMPLE SETS	(CPSC REGULATIONS) MECHANICAL AND PHYSICAL TESTS	PASS

PART 1500.3(c)(6)(vi) FLAMMABILITY TEST ON RIGID AND PLIABLE SOLIDS	PASS
---	------

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
SHENZHEN LTD.

BEN N.L. LIN
GENERAL MANAGER

TEST REPORT

NUMBER: SZHH00364486

TESTS CONDUCTED

1 PHYSICAL AND MECHANICAL TESTS

AS PER ASTM STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY F963-08.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : OVER 6 YEARS.

THE SUBMITTED SAMPLES WERE UNDERGONE THE USE AND ABUSE TESTS IN ACCORDANCE WITH THE FEDERAL HAZARDOUS SUBSTANCES ACT (FHSA), TITLE 16, CODE OF FEDERAL REGULATIONS : -

<u>TEST</u>	<u>FHSA</u>	<u>PARAMETER</u>
IMPACT TEST	SECTION 1500.53 (b)	4 X 3.0 ft
TORQUE TEST	SECTION 1500.53 (e)	4 in-lbf
TENSION TEST	SECTION 1500.53 (f)	15 lbf
COMPRESSION TEST	SECTION 1500.53 (g)	30 lbf

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.1	MATERIAL QUALITY (VISUAL CHECK ON CLEANINGLESS)	P
4.5	SOUND-PRODUCING TOYS	NA
4.6.1	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS (SMALL OBJECTS)	NA
4.6.2	MOUTH-ACTUATED TOYS	NA
4.6.3	TOYS AND GAMES FOR 36 MONTHS TO 72 MONTHS (SMALL PART WARNING)	NA
4.7	ACCESSIBLE EDGES	P
4.8	PROJECTIONS	NA
4.9	ACCESSIBLE POINTS	P
4.10	WIRES OR RODS	NA
4.11	NAILS AND FASTENERS	NA
4.12	PACKAGING FILM	P
4.13	FOLDING MECHANISMS AND HINGES	NA
4.14	CORDS AND ELASTICS	NA
4.15	STABILITY AND OVER-LOAD REQUIREMENTS	NA
4.16	CONFINED SPACES	NA
4.17	WHEELS, TIRES AND AXLES	NA
4.18	HOLES, CLEARANCE, AND ACCESSIBILITY OF MECHANISMS	NA
4.19	SIMULATED PROTECTIVE DEVICES, SUCH AS HELMETS, HATS AND GOGGLES	NA
4.20	PACIFIERS	NA
4.21	PROJECTILE TOYS	NA
4.22	TEETHERS AND TEETHING TOYS	NA
4.23	RATTLES	NA
4.24	SQUEEZE TOYS	NA
4.25	BATTERY-OPERATED TOYS	NA
4.26	TOYS INTENDED TO BE ATTACHED TO A CRIB OR PLAYPEN	NA
4.27	STUFFED AND BEANBAG-TYPE TOYS	NA
4.28	STROLLER AND CARRIAGE TOYS	NA



TEST REPORT

NUMBER: SZHH00364486

TESTS CONDUCTED

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.29	ART MATERIALS	NA
4.30	TOY GUN MARKING	NA
4.31	BALLOONS	NA
4.32	CERTAIN TOYS WITH SPHERICAL ENDS	NA
4.33	MARBLES	NA
4.34	BALLS	NA
4.35	POMPOMS	NA
4.36	HEMISPHERIC-SHAPED OBJECTS	NA
4.37	YOYO ELASTIC TETHER TOYS	NA
4.38	MAGNETS	NA
4.39	JAW ENTRAPMENT IN HANDLES AND STEERING WHEELS	NA
5	LABELLING REQUIREMENT	P
6	INSTRUCTIONAL LITERATURE	P
7	PRODUCER'S MARKINGS	
	- NAME OF PRODUCER/DISTRIBUTOR (TOY & PACKAGE)	YES
	- ADDRESS (PACKAGE)	YES

REMARK : THE SUBMITTED SAMPLES WERE UNDERGONE THE TESTS IN ACCORDANCE WITH SECTION 8.5 THROUGH SECTION 8.18 AND 8.20 THROUGH 8.25 ON NORMAL USE, ABUSE AND SPECIFIC TESTS FOR DIFFERENT TYPES OF TOYS WHICHEVER IS APPLICABLE.

P = PASS

NA = NOT APPLICABLE

DATE SAMPLE RECEIVED : MAR 05, 2009
TESTING PERIOD : MAR 05, 2009 TO MAR 09, 2009



TEST REPORT

NUMBER: SZHH00364486

TESTS CONDUCTED

2 FLAMMABILITY TEST

AS PER SECTION 4.2 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-08.

RESULT : IGNITED BUT SELF-EXTINGUISHED BEFORE BURN RATE COULD BE DETERMINED

DATE SAMPLE RECEIVED : MAR 05, 2009
TESTING PERIOD : MAR 05, 2009 TO MAR 09, 2009

3 TOXIC ELEMENTS ANALYSIS

AS PER SECTION 4.3.5 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-08, ACID DIGESTION AND EXTRACTION METHODS WERE USED AND TOXIC ELEMENTS CONTENT WERE DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

	(1)	RESULT IN ppm		LIMIT
		(2)	(3)	ppm
TOTAL LEAD (Pb)	19	<10	<10	600
SOL. BARIUM (Ba)	<5	<5	98	1000
SOL. LEAD (Pb)	<5	<5	<5	90
SOL. CADMIUM (Cd)	<5	<5	<5	75
SOL. ANTIMONY (Sb)	<5	<5	<5	60
SOL. SELENIUM (Se)	<5	<5	<5	500
SOL. CHROMIUM (Cr)	<5	<5	<5	60
SOL. MERCURY (Hg)	<5	<5	<5	60
SOL. ARSENIC (As)	<2.5	<2.5	<2.5	25

SOL. = SOLUBLE
< = LESS THAN
ppm = PARTS PER MILLION

TESTED COMPONENTS :

- (1) BRIGHT SILVER COLOR COATING ON PLASTIC (PATTERN OF ORANGE & FUCHSIA FRISBEE).
- (2) BLACK COATING ON PLASTIC (PATTERN OF ALL FRISBEE).
- (3) BLUE COATING ON PLASTIC (PATTERN OF BEIGE FRISBEE) (SAMPLE WEIGHT : 25mg)

THE SAMPLE WEIGHT IN BRACKET WAS FOR SOLUBLE TOXIC ELEMENTS ANALYSIS ONLY.

DATE SAMPLE RECEIVED : MAR 05, 2009
TESTING PERIOD : MAR 05, 2009 TO MAR 12, 2009



TEST REPORT

NUMBER: SZHH00364486

TESTS CONDUCTED

4 PHYSICAL AND MECHANICAL TEST

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1500.50, THE HAZARDS OF SHARP POINTS, SHARP EDGE AND SMALL PARTS ARE ASSESSED BOTH BEFORE AND AFTER APPLICABLE USE AND ABUSE TESTS.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : OVER 6 YEARS.

	<u>NO. OF SAMPLE TESTED</u>	<u>SHARP POINT (1500.48)</u>	<u>SHARP EDGE (1500.49)</u>	<u>SMALL PART (1501)</u>
AS RECEIVED	4	P	NA	NA
IMPACT (1500.53(b))	1	P	NA	NA
FLEXURE (1500.53(d))	0	NA	NA	NA
TORQUE (1500.53(e))	2	P	NA	NA
TENSION (1500.53(f))	2	P	NA	NA
COMPRESSION (1500.53(g))	1	P	NA	NA

REMARK : P = PASS
NA = NOT APPLICABLE

DATE SAMPLE RECEIVED : MAR 05, 2009
TESTING PERIOD : MAR 05, 2009 TO MAR 09, 2009

5 FLAMMABILITY TEST

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1500.44 FOR RIGID AND PLIABLE SOLIDS.

RESULT : IGNITED BUT SELF-EXTINGUISHED BEFORE BURN RATE COULD BE DETERMINED

DATE SAMPLE RECEIVED : MAR 05, 2009
TESTING PERIOD : MAR 05, 2009 TO MAR 09, 2009

END OF REPORT